

NEON FLEX

SILICONE EXTRUSION

Shenzhen Bylen Tech Co.,LTD

Tel: 0086 0755 23000864
Fax: 0086 0755 23000864
Web: www.bylentech.com
Email: info@bylentech.com

Address:5/F, Block 16th, ZhongpengChen Industrial Park, Zhenxin Road, Matian Street,
Guangming District, Shenzhen

Factory Address: 8F,Block C, Hongniu New time Industrial Park,6th Zhengpeng Street,
Huangjiang, Gongguan

2025 Catalogue

InBylen®

Work to make your future bright



Who Are We ?



Shenzhen Bylen Tech Co.,Ltd was found in 2019, we are engaging in research, production and sales in led signage industry. Our product is mainly LED signage module, LED strip light, LED Linear light, LED driver and LED controller. With our products we will offer the full solution for projects, such as 0-10V dimming, DMX, Dali, and RF dimming.

We have R&D team and sales team who have more than ten years experience in led lighting industry. We are confident to serve our customer in all over the world. Until now our products have been exported to Europe, American, Japan, and Russia.

Our Company is high-tech enterprise which have got ISO:9001 certificate and we also own a lot of product design patent. Our product is CE, UL and PSE approval that can meet most customers requests.



We have three pcs SMT machine and more than ten pcs injection machine. Now we have 50 workers and each month, there are thousands of module and strip that was finished. And we also think to expand our plant to meet more production ability.

We are developing more and more new product and look forward to have business cooperation with you in future soon.

Side Bend Neon flex



S0408



24V DC

Side Bend 4*8mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N05W67-283527-024CV-140S-MY3-S0408	24	6	140	240	40	2700	80/90	50	120
N05W67-283527-024CV-140S-MY3-S0408	24	6	140	270	45	3000	80/90	50	120
N05W67-283527-024CV-140S-MY3-S0408	24	6	140	330	55	4000	80/90	50	120
N05W67-283527-024CV-140S-MY3-S0408	24	6	140	270	45	6000	80/90	50	120



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0408-001	Silicone material, for 4*8mm end cap with hole for wire, come out in strange
2PCN-S0408-002	Silicone material, for 4*8mm end cap with hole for wire, come out from side
2PCN-S0408-003	Silicone material, for 4*8mm end cap without hole
2PCN-S0408-004	Aluminum clips, 2mm lenght
2PCN-S0408-005	Aluminum channel for 4*8mm one meter length

S0410



24V DC

Side Bend 4*10mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N06W67-283527-024CV-160S-MY3-S0410	24	6	160	240	40	2700	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0410	24	6	160	270	45	3000	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0410	24	6	160	330	55	4000	80/90	50	120
N05W67-283527-024CV-160S-MY3-S0410	24	6	160	270	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0410-001	Silicone material, for 4*10mm end cap with hole for wire, come out in strange
2PCN-S0410-002	Silicone material, for 4*10mm end cap with hole for wire, come out from side
2PCN-S0410-003	Silicone material, for 4*10mm end cap without hole
2PCN-S0410-004	Aluminum clips, 2mm lenght
2PCN-S0410-005	Aluminum channel for 4*10mm one meter length
2PCN-S0410-006	Flexible Aluminum channel for 4*10mm one meter length



24V DC Side Bend 4*8mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N06W67-283527-024CV-160S-MY3-S0409T	24	6	160	240	40	2700	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0409T	24	6	160	270	45	3000	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0409T	24	6	160	330	55	4000	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0409T	24	6	160	270	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0409T-001	Silicone material, for 4*9mm end cap with hole for wire, come out in strange
2PCN-S0409T-003	Silicone material, for 4*9mm end cap without hole
2PCN-S0409T-004	Aluminum clips, 2mm length




24V DC Side Bend 6*12mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-S0612	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0612	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0612	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0612	24	12	140	540	45	6000	80/90	50	120



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0612-001	Silicone material, for 6*12mm end cap with hole for wire, come out in strange
2PCN-S0612-002	Silicone material, for 6*12mm end cap with hole for wire, come out from side
2PCN-S0612-003	Silicone material, for 6*12mm end cap without hole
2PCN-S0612-004	Aluminum clips, 2mm length
2PCN-S0612-005	Aluminum channel for 6*12mm one meter length
2PCN-S0612-006	Flexible Aluminum channel for 6*12mm one meter length
2PCN-S0612-007	Silicone material, for 6*12mm end cap with hole for wire, come out from bottom

S0613



24V DC Side Bend 6*13mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-S0613	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0613	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0613	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0613	24	12	140	540	45	6000	80/90	50	120



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0613-001	Silicone material, for 06*13mm end cap with hole for wire, come out in strange
2PCN-S0613-003	Silicone material, for 06*13mm end cap without hole
2PCN-S0613-004	Aluminum clips, 2mm length
2PCN-S0613-005	Aluminum channel for 6*13mm one meter length

S0615



24V DC Side Bend 6*15mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-S0615	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0615	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0615	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S0615	24	12	140	540	45	6000	80/90	50	120



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0613-001	Silicone material, for 06*13mm end cap with hole for wire, come out in strange
2PCN-S0613-003	Silicone material, for 06*13mm end cap without hole
2PCN-S0613-004	Aluminum clips, 2mm length
2PCN-S0613-005	Aluminum channel for 6*13mm one meter length

S0714



24V DC

Side Bend 7*14mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N06W67-283527-024CV-160S-MY3-S0714	24	6	160	240	40	2700	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0714	24	6	160	270	45	3000	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0714	24	6	160	330	55	4000	80/90	50	120
N06W67-283527-024CV-160S-MY3-S0714	24	6	160	270	45	6000	80/90	50	120



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0714-001	Silicone material, for 7*14mm end cap with hole for wire, come out in strange
2PCN-S0714-003	Silicone material, for 7*14mm end cap without hole
2PCN-S0714-004	Aluminum clips, 2mm length
2PCN-S0714-005	Aluminum channel for 7*14mm one meter length
2PCN-S0714-006	Flexible Aluminum channel for 7*14mm one meter length

S0816



24V DC

Side Bend 8*16mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S0816	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S0816	24	14	140	620	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S0816	24	14	140	640	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S0816	24	14	140	620	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S0816-001	Silicone material, for 8*16mm end cap with hole for wire, come out in strange
2PCN-S0816-003	Silicone material, for 8*16mm end cap without hole
2PCN-S0816-004	Aluminum clips, 2mm length
2PCN-S0816-005	Aluminum channel for 8*16mm one meter length
2PCN-S0816-006	Flexible Aluminum channel for 8*16mm one meter length



24V DC Side Bend 10*10mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N06W67-283527-024CV-140S-MY3-S1010	24	6	160	240	40	2700	80/90	50	120
N06W67-283527-024CV-140S-MY3-S1010	24	6	160	270	45	3000	80/90	50	120
N06W67-283527-024CV-140S-MY3-S1010	24	6	160	330	55	4000	80/90	50	120
N06W67-283527-024CV-140S-MY3-S1010	24	6	160	270	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length



24V DC Side Bend 10*10mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N06W67-283527-024CV-160S-MY3-S1010T	24	6	160	240	40	2700	80/90	50	120
N06W67-283527-024CV-160S-MY3-S1010T	24	6	160	270	45	3000	80/90	50	120
N06W67-283527-024CV-160S-MY3-S1010T	24	6	160	330	55	4000	80/90	50	120
N06W67-283527-024CV-160S-MY3-S1010T	24	6	160	270	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1010T-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-S1010T-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-S1010T-003	Silicone material, for 10*10mm end cap without hole
2PCN-S1010T-004	Aluminum clips, 2mm lenght
2PCN-S1010T-005	Aluminum channel for 10*10mm one meter length




24V DC Side Bend 10*15mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-S1015	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-S1015	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S1015	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S1015	24	12	140	540	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1015-001	Silicone material, for 10*15mm end cap with hole for wire, come out in strange
2PCN-S1015-003	Silicone material, for 10*15mm end cap without hole



24V DC Side Bend 12*12mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-S1212	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-S1212	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S1212	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-S1212	24	12	140	540	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1212-001	Silicone material, for 12*12mm end cap with hole for wire, come out in strange
2PCN-1212-002	Silicone material, for 12*12mm end cap with hole for wire, come out from side
2PCN-1212-003	Silicone material, for 12*12mm end cap without hole
2PCN-1212-004	Aluminum clips, 2mm lenght
2PCN-1212-005	Aluminum channel for 12*12mm one meter length
2PCN-1212-006	Flexible Aluminum channel for 12*12mm one meter length



24V DC Side Bend 12*18mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1218	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1218	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1218	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1218	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1218-001	Silicone material, for 12*18mm end cap with hole for wire, come out in strangle
2PCN-S1218-002	Silicone material, for 12*18mm end cap with hole for wire, come out from side
2PCN-S1218-003	Silicone material, for 12*18mm end cap without hole
2PCN-S1218-004	Aluminum clips, 2mm lenght
2PCN-S1218-005	Aluminum channel for 12*18mm one meter length
2PCN-S1218-006	Flexible Aluminum channel for 12*18mm one meter length




24V DC Side Bend 10*20mm Neon flex


Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1020	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1020	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1020	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1020	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1020-001	Silicone material, for 10*20mm end cap with hole for wire, come out in strangle
2PCN-S1020-002	Silicone material, for 10*20mm end cap with hole for wire, come out from side
2PCN-S1020-003	Silicone material, for 10*20mm end cap without hole
2PCN-S1020-004	Aluminum clips, 2mm lenght
2PCN-S1020-005	Aluminum channel for 10*20mm one meter length
2PCN-S1020-006	Flexible Aluminum channel for 10*20mm one meter length



24V DC

Side Bend 10*22mm Neon flex


Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1022	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1022	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1022	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1022	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S1022-001	Silicone material, for 10*22mm end cap with hole for wire, come out in strange
2PCN-S1022-002	Silicone material, for 10*22mm end cap with hole for wire, come out from side
2PCN-S1022-002A	Silicone material, for 10*22mm end cap with hole for wire, come out from side
2PCN-S1022-003	Silicone material, for 10*22mm end cap without hole
2PCN-S1022-004	Aluminum clips, 2mm length
2PCN-S1022-005	Aluminum channel for 10*22mm one meter length
2PCN-S1022-006	Flexible Aluminum channel for 10*22mm one meter length




24V DC

Side Bend 10*18mm Neon flex


Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1018	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1018	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1018	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1018	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-S1018-001	Silicone material, for 10*18mm end cap with hole for wire, come out in strange
2PCN-S1018-002	Silicone material, for 10*18mm end cap with hole for wire, come out from side
2PCN-S1018-003	Silicone material, for 10*18mm end cap without hole
2PCN-S1018-004	Aluminum clips, 2mm length
2PCN-S1018-005	Aluminum channel for 10*18mm one meter length
2PCN-S1018-006	Flexible Aluminum channel for 10*18mm one meter length




24V DC Side Bend 12*20mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1220	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1220	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1220	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1220	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1220-001	Silicone material, for 12*20mm end cap with hole for wire, come out in strange
2PCN-S1220-002	Silicone material, for 12*20mm end cap with hole for wire, come out from side
2PCN-S1220-003	Silicone material, for 12*20mm end cap without hole
2PCN-S1220-004	Aluminum clips, 2mm lenght
2PCN-S1220-005	Aluminum channel for 12*20mm one meter length
2PCN-S1220-006	Flexible Aluminum channel for 12*20mm one meter length



24V DC Side Bend 12*25mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1225	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1225	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1225	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1225	24	14	140	630	45	6000	80/90	50	120



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1225-001	Silicone material, for 12*25mm end cap with hole for wire, come out in strange
2PCN-S1225-002	Silicone material, for 12*25mm end cap with hole for wire, come out from side
2PCN-S1225-002A	Silicone material, for 12*25mm end cap with hole for wire, come out from side
2PCN-S1225-003	Silicone material, for 12*25mm end cap without hole
2PCN-S1225-004	Aluminum clips, 2mm lenght
2PCN-S1225-005	Aluminum channel for 12*25mm one meter length
2PCN-S1225-006	Flexible Aluminum channel for 12*25mm one meter length

S1515



24V DC Side Bend 15*15mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1515	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1515	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1515	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1515	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1515-001	Silicone material, for 15*15mm end cap with hole for wire, come out in strange
2PCN-1515-002	Silicone material, for 15*15mm end cap with hole for wire, come out from side
2PCN-1515-003	Silicone material, for 15*15mm end cap without hole
2PCN-1515-004	Aluminum clips, 2mm lenght
2PCN-1515-005	Aluminum channel for 15*15mm one meter length

S1616




24V DC Side Bend 16*16mm Neon flex


Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S1616	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1616	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1616	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S1616	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1616-001	Silicone material, for 16*16mm end cap with hole for wire, come out in strange
2PCN-1616-002	Silicone material, for 16*16mm end cap with hole for wire, come out from side
2PCN-1616-003	Silicone material, for 16*16mm end cap without hole
2PCN-1616-004	Aluminum clips, 2mm lenght
2PCN-1616-005	Aluminum channel for 16*16mm one meter length
2PCN-1616-006	Flexible Aluminum channel for 16*16mm one meter length




24V DC

Side Bend 20*20mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-S2020	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-S2020	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S2020	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-S2020	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
 *Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-2020-001	Silicone material, for 20*20mm end cap with hole for wire, come out in strange
2PCN-2020-002	Silicone material, for 20*20mm end cap with hole for wire, come out from side
2PCN-2020-003	Silicone material, for 20*20mm end cap without hole
2PCN-2020-004	Aluminum clips, 2mm lenght
2PCN-2020-005	Aluminum channel for 20*20mm one meter length
2PCN-2020-006	Flexible Aluminum channel for 20*20mm one meter length



Top bend Neon flex





24V DC Top Bend 10*10mm Neon flex


Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-T1010	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1010	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1010	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1010	24	12	140	540	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length



24V DC Top Bend 10*10mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-T1010U	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1010U	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1010U	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1010U	24	12	140	540	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length



24V DC Top Bend 12*12mm Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-T1212	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1212	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1212	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-T1212	24	12	140	540	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-1212-001	Silicone material, for 12*12mm end cap with hole for wire, come out in strange
2PCN-1212-002	Silicone material, for 12*12mm end cap with hole for wire, come out from side
2PCN-1212-003	Silicone material, for 12*12mm end cap without hole
2PCN-1212-004	Aluminum clips, 2mm length
2PCN-1212-005	Aluminum channel for 12*12mm one meter length
2PCN-1212-006	Flexible Aluminum channel for 12*12mm one meter length




24V DC Top Bend 13*13mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-T1313	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1313	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1313	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1313	24	14	140	630	45	6000	80/90	50	120



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-1313-001	Silicone material, for 13*13mm end cap with hole for wire, come out in strange
2PCN-1313-002	Silicone material, for 13*13mm end cap with hole for wire, come out from side
2PCN-1313-003	Silicone material, for 13*13mm end cap without hole
2PCN-1313-004	Aluminum clips, 2mm length
2PCN-1313-005	Aluminum channel for 13*13mm one meter length
2PCN-1313-006	Flexible Aluminum channel for 13*13mm one meter length

T1313T



Mold connector Straight, Mold connector Side, Mold connector Bottom

24V DC

Top Bend 13*13mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-T1313T	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1313T	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1313T	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1313T	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1313-001	Silicone material, for 13*13mm end cap with hole for wire, come out in strange
2PCN-1313-002	Silicone material, for 13*13mm end cap with hole for wire, come out from side
2PCN-1313-003	Silicone material, for 13*13mm end cap without hole
2PCN-1313-004	Aluminum clips, 2mm lenght
2PCN-1313-005	Aluminum channel for 13*13mm one meter length
2PCN-1313-006	Flexible Aluminum channel for 13*13mm one meter length

T1515




24V DC

Top Bend 15*15mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-T1515	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1515	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1515	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1515	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1515-001	Silicone material, for 15*15mm end cap with hole for wire, come out in strange
2PCN-1515-002	Silicone material, for 15*15mm end cap with hole for wire, come out from side
2PCN-1515-003	Silicone material, for 15*15mm end cap without hole
2PCN-1515-004	Aluminum clips, 2mm lenght
2PCN-1515-005	Aluminum channel for 15*15mm one meter length

T1616




24V DC Top Bend 16*16mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-T1616	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1616	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1616	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T1616	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1616-001	Silicone material, for 16*16mm end cap with hole for wire, come out in strange
2PCN-1616-002	Silicone material, for 16*16mm end cap with hole for wire, come out from side
2PCN-1616-003	Silicone material, for 16*16mm end cap without hole
2PCN-1616-004	Aluminum clips, 2mm lenght
2PCN-1616-005	Aluminum channel for 16*16mm one meter length
2PCN-1616-006	Flexible Aluminum channel for 16*16mm one meter length

T2014




24V DC Top Bend 20*14mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-T2014	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-T2014	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T2014	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T2014	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-T2014-001	Silicone material, for 20*14mm end cap with hole for wire, come out in strange
2PCN-T2014-002	Silicone material, for 20*14mm end cap with hole for wire, come out from side
2PCN-T2014-003	Silicone material, for 20*14mm end cap without hole
2PCN-T2014-004	Aluminum clips, 2mm lenght
2PCN-T2014-005	Aluminum channel for 20*14mm one meter length
2PCN-T2014-006	Flexible Aluminum channel for 20*14mm one meter length

T2020



24V DC

Top Bend 20*20mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-T2020	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-T2020	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T2020	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-T2020	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-2020-001	Silicone material, for 20*20mm end cap with hole for wire, come out in strange
2PCN-2020-002	Silicone material, for 20*20mm end cap with hole for wire, come out from side
2PCN-2020-003	Silicone material, for 20*20mm end cap without hole
2PCN-2020-004	Aluminum clips, 2mm lenght
2PCN-2020-005	Aluminum channel for 20*20mm one meter length
2PCN-2020-006	Flexible Aluminum channel for 20*20mm one meter length

T2727



24V DC



Top Bend 27*27mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N12W67-283527-024CV-140S-MY3-T1515	24	14	140	560	40	2700	80/90	50	120
N12W67-283527-024CV-140S-MY3-T1515	24	14	140	630	45	3000	80/90	50	120
N12W67-283527-024CV-140S-MY3-T1515	24	14	140	770	55	4000	80/90	50	120
N12W67-283527-024CV-140S-MY3-T1515	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.



T3020




24V DC Top Bend 30*20mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	800	40	2700	80/90	25	120
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	900	45	3000	80/90	25	120
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	1100	55	4000	80/90	25	120
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	900	45	6000	80/90	25	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Description
2PCN-T3020-001	Silicone material, for 30*20mm end cap with hole for wire, come out in strange
2PCN-T3020-003	Silicone material, for 30*20mm end cap without hole
2PCN-T3020-004	Aluminum clips, 2mm length
2PCN-T3020-005	Aluminum channel for 30*20mm one meter length
2PCN-T3020-006	Flexible Aluminum channel for 30*20mm one meter length

D1615




24V DC Top Bend D16*15mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N10W67-283527-024CV-140S-MY3-D1615	24	14	140	560	40	2700	80/90	50	120
N10W67-283527-024CV-140S-MY3-D1615	24	14	140	630	45	3000	80/90	50	120
N10W67-283527-024CV-140S-MY3-D1615	24	14	140	770	55	4000	80/90	50	120
N10W67-283527-024CV-140S-MY3-D1615	24	14	140	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.


Optional Accessories



Item#	Description
2PCN-D1615-001	Silicone material, for 16*15mm end cap with hole for wire, come out in strange
2PCN-D1615-002	Silicone material, for 16*15mm end cap with hole for wire, come out from side
2PCN-D1615-002A	Silicone material, for 16*15mm end cap with hole for wire, come out from side
2PCN-D1615-003	Silicone material, for 16*15mm end cap without hole
2PCN-D1615-004	Aluminum clips, 2mm length
2PCN-D1615-005	Aluminum channel for 16*15mm one meter length

3D Bend Neon flex






24V DC 3D Bend 10*10mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)	
N04W67-283527-024CV-280S-MY3-T1010	24	6	280	240	40	2700	80/90	25	120	
N04W67-283527-024CV-280S-MY3-T1010	24	6	280	270	45	3000	80/90	25	120	
N04W67-283527-024CV-280S-MY3-T1010	24	6	280	330	55	4000	80/90	25	120	
N04W67-283527-024CV-280S-MY3-T1010	24	6	280	270	45	6000	80/90	25	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length





24V DC 3D Bend 13*13mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)	
N06W67-283527-024CV-160S-MY3-T1313	24	6	160	240	40	2700	80/90	50	120	
N06W67-283527-024CV-160S-MY3-T1313	24	6	160	270	45	3000	80/90	50	120	
N06W67-283527-024CV-160S-MY3-T1313	24	6	160	330	55	4000	80/90	50	120	
N06W67-283527-024CV-160S-MY3-T1313	24	6	160	270	45	6000	80/90	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-1313-001	Silicone material, for 13*13mm end cap with hole for wire, come out in strange
2PCN-1313-002	Silicone material, for 13*13mm end cap with hole for wire, come out from side
2PCN-1313-003	Silicone material, for 13*13mm end cap without hole
2PCN-1313-004	Aluminum clips, 2mm lenght
2PCN-1313-005	Aluminum channel for 13*13mm one meter length
2PCN-1313-006	Flexible Aluminum channel for 13*13mm one meter length





Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	480	40	2700	80/90	50	120
N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	540	45	3000	80/90	50	120
N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	660	55	4000	80/90	50	120
N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	540	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-1616-001	Silicone material, for 16*16mm end cap with hole for wire, come out in strange
2PCN-1616-002	Silicone material, for 16*16mm end cap with hole for wire, come out from side
2PCN-1616-003	Silicone material, for 16*16mm end cap without hole
2PCN-1616-004	Aluminum clips, 2mm lenght
2PCN-1616-005	Aluminum channel for 16*16mm one meter length
2PCN-1616-006	Flexible Aluminum channel for 16*16mm one meter length



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	560	40	2700	80/90	50	120
N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	630	45	3000	80/90	50	120
N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	770	55	4000	80/90	50	120
N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-2020-001	Silicone material, for 20*20mm end cap with hole for wire, come out in strange
2PCN-2020-002	Silicone material, for 20*20mm end cap with hole for wire, come out from side
2PCN-2020-003	Silicone material, for 20*20mm end cap without hole
2PCN-2020-004	Aluminum clips, 2mm lenght
2PCN-2020-005	Aluminum channel for 20*20mm one meter length
2PCN-2020-006	Flexible Aluminum channel for 20*20mm one meter length

360 Illumination Neon flex



D18




24V DC

360 Illumination D18 mm Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	480	40	2700	80/90	free cut	120
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	540	45	3000	80/90	free cut	120
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	660	55	4000	80/90	free cut	120
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	540	45	6000	80/90	free cut	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting



2PCN-D18-001 Vertical Pending
2PCN-D18-002 Surface mounting at one end
2PCN-D18-003 Surface mounting at Both ends
2PCN-D18-004 Surface mounting for shapes
2PCN-D18-005 Round combination pending

D23




24V DC

360 Illumination D23 Neon flex


Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-120D-MY3-D23	24	14	120	560	40	2700	80/90	50	120
N08W67-283527-024CV-120D-MY3-D23	24	14	120	630	45	3000	80/90	50	120
N08W67-283527-024CV-120D-MY3-D23	24	14	120	770	55	4000	80/90	50	120
N08W67-283527-024CV-120D-MY3-D23	24	14	120	630	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting



2PCN-D23-001 Vertical Pending
2PCN-D23-002 Surface mounting at one end
2PCN-D23-003 Surface mounting at Both ends
2PCN-D23-004 Surface mounting for shapes
2PCN-D23-005 Round combination pending



2PCN-D23-001A Horizontal Pending
2PCN-D23-002B Horizontal Pending for shapes

D25




24V DC 360 Illumination D25 Neon flex



Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	480	40	2700	80/90	free cut	120
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	540	45	3000	80/90	free cut	120
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	660	55	4000	80/90	free cut	120
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	540	45	6000	80/90	free cut	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting



D40



24V DC 360 Illumination D40 Neon flex

Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Beam Angle (o)
N08W67-283527-024CV-120D-MY3-D40	24	14	120	560	40	2700	80/90	free cut	120
N08W67-283527-024CV-120D-MY3-D40	24	14	120	630	45	3000	80/90	free cut	120
N08W67-283527-024CV-120D-MY3-D40	24	14	120	770	55	4000	80/90	free cut	120
N08W67-283527-024CV-120D-MY3-D40	24	14	120	630	45	6000	80/90	free cut	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting

