

NEON FLEX

SILICONE EXTRUSION

Shenzhen Bylen Tech Co.,LTD

Tel: 0086 0755 23000864
Fax: 0086 0755 23000864
Web: www.bylentech.com
Email: info@bylentech.com

Address:5/F, Block 16th, ZhongpengChen Industrial Park, Zhenxin Road, Matian Street,
Guangming District, Shenzhen

Factory Address: 8F,Block C, Hongniu New time Industrial Park,6th Zhengpeng Street,
Huangjiang, Gongguan

2025 Catalogue

InBylen®

Work to make your future bright



Who Are We ?

Shenzhen Bylen Tech Co.,Ltd was found in 2019, we are engaging in research, production and sales in led signage industry. Our product is mainly LED signage module, LED strip light, LED Linear light, LED driver and LED controller. With our products we will offer the full solution for projects, such as 0-10V dimming, DMX, Dali, and RF dimming.

We have R&D team and sales team who have more than ten years experience in led lighting industry. We are confident to serve our customer in all over the world. Until now our products have been exported to Europe, American, Japan, and Russia.

Our Company is high-tech enterprise which have got ISO:9001 certificate and we also own a lot of product design patent. Our product is CE, UL and PSE approval that can meet most customers requests.

We have three pcs SMT machine and more than ten pcs injection machine. Now we have 50 workers and each month, there are thousands of module and strip that was finished. And we also think to expand our plant to meet more production ability.


We are developing more and more new product and look forward to have business cooperation with you in future soon.



OSRAM





Certificates



Side Bend Neon flex



S0408



24V DC Side Bend 4*8mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N05W67-221627-024CV-210S-MY3-S0408	24	6	210	240	40	2700	90	33.33	120	
N05W67-221630-024CV-210S-MY3-S0408	24	6	210	270	45	3000	90	33.33	120	
N05W67-221640-024CV-210S-MY3-S0408	24	6	210	330	55	4000	90	33.33	120	
N05W67-221660-024CV-210S-MY3-S0408	24	6	210	270	45	6000	90	33.33	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



2PCN-S0408-001



2PCN-S0408-002



2PCN-S0408-003




2PCN-S0408-004



2PCN-S0408-005

Item#	Discription
2PCN-S0408-001	Silicone material, for 4*8mm end cap with hole for wire, come out in strange
2PCN-S0408-002	Silicone material, for 4*8mm end cap with hole for wire, come out from side
2PCN-S0408-003	Silicone material, for 4*8mm end cap without hole
2PCN-S0408-004	Aluminum clips, 2mm lenght
2PCN-S0408-005	Aluminum channel for 4*8mm one meter length

S0410



24V DC Side Bend 4*10mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N06W67-2835XX-024CV-160S-MY3-S0410	24	6	160	330	55	2700	80/90	50	120	
N06W67-2835XX-024CV-160S-MY3-S0410MC	24	6	160	246	41	3000	80/90	12.5	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



2PCN-S0410-001



2PCN-S0410-002



2PCN-S0410-003



2PCN-S0410-004




2PCN-S0410-005



2PCN-S0410-006

Item#	Discription
2PCN-S0410-001	Silicone material, for 4*10mm end cap with hole for wire, come out in strange
2PCN-S0410-002	Silicone material, for 4*10mm end cap with hole for wire, come out from side
2PCN-S0410-003	Silicone material, for 4*10mm end cap without hole
2PCN-S0410-004	Aluminum clips, 2mm lenght
2PCN-S0410-005	Aluminum channel for 4*10mm one meter length
2PCN-S0410-006	Flexible Aluminum channel for 4*10mm one meter length



24V DC Side Bend 4*9mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N06W67-2835XX-024CV-160S-MY3-S0409T	24	6	160	330	55	WHITE	80/90	50	120	
N06W67-2835XX-024CV-160S-MY3-S0409TMC	24	6	160	246	41	WHITE	80/90	12.5	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



2PCN-SS0409T-001




2PCN-S0409T-003



2PCN-S0409T-004

Item#	Discription	
2PCN-S0409T-001	Silicone material, for 4*9mm end cap with hole for wire, come out in strange	
2PCN-S0409T-003	Silicone material, for 4*9mm end cap without hole	
2PCN-S0409T-004	Aluminum clips, 2mm lenght	



24V DC Side Bend 6*12mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-2835XX-024CV-140S-MY3-S0612	24	12	140	660	55	WHITE	80/90	50	120	
N08W67-2835XX-024CV-120S-MY3-S0612MC	24	12	120	492	41	WHITE	80/90	16.6	120	
N08W67-2216TW-024CV-240S-MY3-S0612	24	12	240	492	41	CCT	90	50	120	
N08W67-3838TC-024CV-120S-MY3-S0612	24	12	120	N / A	N / A	RGB	N / A	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



2PCN-S0612-001



2PCN-S0612-002



2PCN-S0612-007



2PCN-S0612-003



2PCN-S0612-004





2PCN-S0612-005



2PCN-S0612-006

Item#	Discription	
2PCN-S0612-001	Silicone material, for 6*12mm end cap with hole for wire, come out in strange	
2PCN-S0612-002	Silicone material, for 6*12mm end cap with hole for wire, come out from side	
2PCN-S0612-003	Silicone material, for 6*12mm end cap without hole	
2PCN-S0612-004	Aluminum clips, 2mm lenght	
2PCN-S0612-005	Aluminum channel for 6*12mm one meter length	
2PCN-S0612-006	Flexible Aluminum channel for 6*12mm one meter length	
2PCN-S0612-007	Silicone material, for 6*12mm end cap with hole for wire, come out from bottom	

S0613



24V DC Side Bend 6*13mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-2835XX-024CV-140S-MY3-S0613	24	12	140	660	55	WHITE	80/90	50	120	
N08W67-2835XX-024CV-120S-MY3-S0613MC	24	12	120	492	41	WHITE	80/90	16.6	120	
N08W67-2216TW-024CV-240S-MY3-S0613	24	12	240	492	41	CCT	90	50	120	
N08W67-2835TC-024CV-120S-MY3-S0613	24	12	120	N / A	N / A	RGB	N / A	50	120	



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S0613-001	Silicone material, for 06*13mm end cap with hole for wire, come out in strange
2PCN-S0613-003	Silicone material, for 06*13mm end cap without hole
2PCN-S0613-004	Aluminum clips, 2mm lenght
2PCN-S0613-005	Aluminum channel for 6*13mm one meter length

S0615



24V DC Side Bend 6*15mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-2835XX-024CV-140S-MY3-S0615	24	12	140	660	55	WHITE	80/90	50	120	
N08W67-2835XX-024CV-120S-MY3-S0615MC	24	12	120	492	41	WHITE	80/90	50	120	
N08W67-2835TW-024CV-240S-MY3-S0615	24	12	240	492	41	CCT	90	50	120	
N08W67-2835TC-024CV-120S-MY3-S0615	24	12	120	N / A	N / A	RGB	N / A	50	120	



*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S0613-001	Silicone material, for 06*13mm end cap with hole for wire, come out in strange
2PCN-S0613-003	Silicone material, for 06*13mm end cap without hole
2PCN-S0613-004	Aluminum clips, 2mm lenght
2PCN-S0613-005	Aluminum channel for 6*13mm one meter length

S0714



24V DC Side Bend 7*14mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N06W67-2835XX-024CV-160S-MY3-S0714	24	6	160	330	55	WHITE	80/90	50	120	
N06W67-2835XX-024CV-160S-MY3-S0714MC	24	6	160	246	41	WHITE	80/90	12.5	120	


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S0714-001	Silicone material, for 7*14mm end cap with hole for wire, come out in strange
2PCN-S0714-003	Silicone material, for 7*14mm end cap without hole
2PCN-S0714-004	Aluminum clips, 2mm lenght
2PCN-S0714-005	Aluminum channel for 7*14mm one meter length
2PCN-S0714-006	Flexible Aluminum channel for 7*14mm one meter length

S0816



24V DC Side Bend 8*16mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S0816	24	12	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S0816MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S0816	24	16	240	574	41	CCT	90	50	120	
N10W67-3838TC-024CV-168S-MY3-S0816	24	12	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024CV-126S-MY3-S0816	24	12	126	N / A	N / A	RGBW	N / A	55.5	120	


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S0816-001	Silicone material, for 8*16mm end cap with hole for wire, come out in strange
2PCN-S0816-003	Silicone material, for 8*16mm end cap without hole
2PCN-S0816-004	Aluminum clips, 2mm lenght
2PCN-S0816-005	Aluminum channel for 8*16mm one meter length
2PCN-S0816-006	Flexible Aluminum channel for 8*16mm one meter length

S1010



24V DC Side Bend 10*10mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N06W67-283527-024CV-160S-MY3-S1010	24	6	160	330	55	WHITE	80/90	50	120	
N06W67-283527-024CV-160S-MY3-S1010MC	24	6	160	246	41	WHITE	80/90	12.5	120	


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length

S1010T




24V DC Side Bend 10*10mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N06W67-283527-024CV-160S-MY3-S1010T	24	6	160	330	55	WHITE	80/90	50	120	
N06W67-283527-024CV-160S-MY3-S1010TMC	24	6	160	246	41	WHITE	80/90	12.5	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-S1010T-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-S1010T-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-S1010T-003	Silicone material, for 10*10mm end cap without hole
2PCN-S1010T-004	Aluminum clips, 2mm lenght
2PCN-S1010T-005	Aluminum channel for 10*10mm one meter length





24V DC Side Bend 10*15mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-2835XX-024CV-140S-MY3-S1015	24	12	140	660	55	WHITE	80/90	50	120	
N08W67-2835XX-024CV-120S-MY3-S1015MC	24	12	120	540	45	WHITE	80/90	16.6	120	
N08W67-2835TW-024CV-240S-MY3-S1015	24	12	240	492	41	CCT	90	50	120	
N08W67-2835TC-024CV-140S-MY3-S1015	24	12	140	N / A	N / A	RGB	N / A	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1015-001	Silicone material, for 10*15mm end cap with hole for wire, come out in strange
2PCN-S1015-003	Silicone material, for 10*15mm end cap without hole




24V DC Side Bend 12*12mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-2835XX-024CV-140S-MY3-S1212	24	12	140	660	55	WHITE	80/90	50	120	
N08W67-2835XX-024CV-120S-MY3-S1212MC	24	12	120	540	45	WHITE	80/90	16.6	120	
N08W67-2835TW-024CV-240S-MY3-S1212	24	12	240	492	41	CCT	90	50	120	
N08W67-2835TC-024CV-140S-MY3-S1212	24	12	140	N / A	N / A	RGB	N / A	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1212-001	Silicone material, for 12*12mm end cap with hole for wire, come out in strange
2PCN-1212-002	Silicone material, for 12*12mm end cap with hole for wire, come out from side
2PCN-1212-003	Silicone material, for 12*12mm end cap without hole
2PCN-1212-004	Aluminum clips, 2mm lenght
2PCN-1212-005	Aluminum channel for 12*12mm one meter length
2PCN-1212-006	Flexible Aluminum channel for 12*12mm one meter length





24V DC Side Bend 12*18mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1218	24	12	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1218MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1218	24	16	240	574	41	CCT	90	50	120	
N10W67-3838TC-024CV-168S-MY3-S1218	24	12	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024CV-126S-MY3-S1218	24	12	126	N / A	N / A	RGBW	N / A	55.5	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-S1218-001	Silicone material, for 12*18mm end cap with hole for wire, come out in strange
2PCN-S1218-002	Silicone material, for 12*18mm end cap with hole for wire, come out from side
2PCN-S1218-003	Silicone material, for 12*18mm end cap without hole
2PCN-S1218-004	Aluminum clips, 2mm lenght
2PCN-S1218-005	Aluminum channel for 12*18mm one meter length
2PCN-S1218-006	Flexible Aluminum channel for 12*18mm one meter length




24V DC Side Bend 10*20mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1020	24	12	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1020MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1020	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-S1020	24	12	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024CV-126S-MY3-S1020	24	12	126	N / A	N / A	RGBW	N / A	55.5	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-S1020-001	Silicone material, for 10*20mm end cap with hole for wire, come out in strange
2PCN-S1020-002	Silicone material, for 10*20mm end cap with hole for wire, come out from side
2PCN-S1020-003	Silicone material, for 10*20mm end cap without hole
2PCN-S1020-004	Aluminum clips, 2mm lenght
2PCN-S1020-005	Aluminum channel for 10*20mm one meter length
2PCN-S1020-006	Flexible Aluminum channel for 10*20mm one meter length




24V DC Side Bend 10*23mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1023	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1023MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1023	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-S1023	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024AD-126S-MY3-S1023	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-S1023-001	Silicone material, for 10*22mm end cap with hole for wire, come out in strange
2PCN-S1023-002	Silicone material, for 10*22mm end cap with hole for wire, come out from side
2PCN-S1023-002A	Silicone material, for 10*22mm end cap with hole for wire, come out from side
2PCN-S1023-003	Silicone material, for 10*22mm end cap without hole
2PCN-S1023-004	Aluminum clips, 2mm lenght
2PCN-S1023-005	Aluminum channel for 10*22mm one meter length
2PCN-S1023-006	Flexible Aluminum channel for 10*22mm one meter length




24V DC Side Bend 10*18mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1018	24	12	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1018MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1018	24	16	240	574	41	CCT	90	50	120	
N10W67-3838TC-024CV-168S-MY3-S1018	24	12	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024CV-126S-MY3-S1018	24	12	126	N / A	N / A	RGBW	N / A	55.5	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories





Item#	Discription
2PCN-S1018-001	Silicone material, for 10*18mm end cap with hole for wire, come out in strange
2PCN-S1018-002	Silicone material, for 10*18mm end cap with hole for wire, come out from side
2PCN-S1018-003	Silicone material, for 10*18mm end cap without hole
2PCN-S1018-004	Aluminum clips, 2mm lenght
2PCN-S1018-005	Aluminum channel for 10*18mm one meter length
2PCN-S1018-006	Flexible Aluminum channel for 10*18mm one meter length



24V DC Side Bend 12*20mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1220	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1220MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1220	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-S1220	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050FC-024CV-096S-MY3-S1220	24	20	96	N / A	N / A	RGBW	N / A	62.5	120	
N10W67-5050MC-024AD-084S-MY3-S1220	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	
N10W67-5050MC-024CV-096DMX-MY3-S1220	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120	

Optional Accessories

Item#	Discription
2PCN-S1220-001	Silicone material, for 12*20mm end cap with hole for wire, come out in strange
2PCN-S1220-002	Silicone material, for 12*20mm end cap with hole for wire, come out from side
2PCN-S1220-003	Silicone material, for 12*20mm end cap without hole
2PCN-S1220-004	Aluminum clips, 2mm lenght
2PCN-S1220-005	Aluminum channel for 12*20mm one meter length
2PCN-S1220-006	Flexible Aluminum channel for 12*20mm one meter length





24V DC Side Bend 12*25mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1225	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1225MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1225	24	16	240	656	41	CCT	90	50	120	
N10W67-3838TC-024CV-168S-MY3-S1225	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050MC-024AD-084S-MY3-S1225	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories


Item#	Discription
2PCN-S1225-001	Silicone material, for 12*25mm end cap with hole for wire, come out in strange
2PCN-S1225-002	Silicone material, for 12*25mm end cap with hole for wire, come out from side
2PCN-S1225-002A	Silicone material, for 12*25mm end cap with hole for wire, come out from side
2PCN-S1225-003	Silicone material, for 12*25mm end cap without hole
2PCN-S1225-004	Aluminum clips, 2mm lenght
2PCN-S1225-005	Aluminum channel for 12*25mm one meter length
2PCN-S1225-006	Flexible Aluminum channel for 12*25mm one meter length




24V DC Side Bend 15*15mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1515	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1515MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1515	24	16	240	656	41	CCT	90	50	120	
N10W67-3838TC-024CV-168S-MY3-S1515	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050MC-024AD-084S-MY3-S1515	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-1515-001	Silicone material, for 15*15mm end cap with hole for wire, come out in strange
2PCN-1515-002	Silicone material, for 15*15mm end cap with hole for wire, come out from side
2PCN-1515-003	Silicone material, for 15*15mm end cap without hole
2PCN-1515-004	Aluminum clips, 2mm lenght
2PCN-1515-005	Aluminum channel for 15*15mm one meter length




24V DC Side Bend 16*16mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-S1616	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-S1616MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-S1616	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-S1616	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050FC-024CV-096S-MY3-S1616	24	20	96	N / A	N / A	RGBW	N / A	62.5	120	
N10W67-5050MC-024AD-084S-MY3-S1616	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	
N10W67-5050MC-024CV-096DMX-MY3-S1616	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120	

Optional Accessories



Item#	Discription
2PCN-1616-001	Silicone material, for 16*16mm end cap with hole for wire, come out in strange
2PCN-1616-002	Silicone material, for 16*16mm end cap with hole for wire, come out from side
2PCN-1616-003	Silicone material, for 16*16mm end cap without hole
2PCN-1616-004	Aluminum clips, 2mm lenght
2PCN-1616-005	Aluminum channel for 16*16mm one meter length
2PCN-1616-006	Flexible Aluminum channel for 16*16mm one meter length



24V DC	Side Bend 20*20mm Neon flex									
	Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)
	N10W67-2835XX-024CV-140S-MY3-S2020	24	14	140	660	55	WHITE	80/90	50	120
	N10W67-2835XX-024CV-168S-MY3-S2020MC	24	14	168	620	45	WHITE	80/90	11.9	120
	N10W67-2216TW-024CV-240S-MY3-S2020	24	16	240	574	41	CCT	90	50	120
	N10W67-2835TC-024CV-168S-MY3-S2020	24	16	168	N / A	N / A	RGB	N / A	35.7	120
	N10W67-5050FC-024CV-096S-MY3-S2020	24	20	96	N / A	N / A	RGBW	N / A	62.5	120
	N10W67-5050MC-024AD-084S-MY3-S2020	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120
	N10W67-5050MC-024CV-096DMX-MY3-S2020	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120

Optional Accessories



2PCN-2020-001

Item#



2PCN-2020-003



2PCN-2020-003



2PCN-2020-004



2PCN-2020-005



2PCN-2020-006


Discription

2PCN-2020-001	Silicone material, for 20*20mm end cap with hole for wire, come out in strange
2PCN-2020-002	Silicone material, for 20*20mm end cap with hole for wire, come out from side
2PCN-2020-003	Silicone material, for 20*20mm end cap without hole
2PCN-2020-004	Aluminum clips, 2mm lenght
2PCN-2020-005	Aluminum channel for 20*20mm one meter length
2PCN-2020-006	Flexible Aluminum channel for 20*20mm one meter length



Top bend Neon flex







24V DC Top Bend 10*10mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-2835XX-024CV-140S-MY3-T1010	24	12	140	660	55	WHITE	80/90	50	120	
N08W67-2835XX-024CV-120S-MY3-T1010MC	24	12	120	492	41	WHITE	80/90	16.6	120	
N08W67-2216TW-024CV-240S-MY3-T1010	24	12	240	492	41	CCT	90	50	120	
N08W67-2835TC-024CV-120S-MY3-T1010	24	12	120	N / A	N / A	RGB	N / A	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length





24V DC Top Bend 10*10mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-2835XX-024CV-140S-MY3-T1010U	24	12	140	660	55	WHITE	80/90	50	120	
N08W67-2835XX-024CV-120S-MY3-T1010UMC	24	12	120	492	41	WHITE	80/90	16.6	120	
N08W67-2216TW-024CV-240S-MY3-T1010U	24	12	240	492	41	CCT	90	50	120	
N08W67-2835TC-024CV-120S-MY3-T1010U	24	12	120	N / A	N / A	RGB	N / A	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories





Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length



24V DC Top Bend 12*12mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-T1212	24	12	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-T1212MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-T1212	24	12	240	492	41	CCT	90	50	120	
N10W67-2835XX-230CC-120S-MY3-T1023	230	15	120	1125	75	WHITE	80/90	100	120	
N10W67-2835TC-024CV-168S-MY3-T1023	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024AD-126S-MY3-T1023	24	16.8	84	N / A	N / A	RGBW SPI	N / A	71.4	120	

Optional Accessories

Item#	Discription
2PCN-1212-001	Silicone material, for 12*12mm end cap with hole for wire, come out in strange
2PCN-1212-002	Silicone material, for 12*12mm end cap with hole for wire, come out from side
2PCN-1212-003	Silicone material, for 12*12mm end cap without hole
2PCN-1212-004	Aluminum clips, 2mm lenght
2PCN-1212-005	Aluminum channel for 12*12mm one meter length
2PCN-1212-006	Flexible Aluminum channel for 12*12mm one meter length





24V DC Top Bend 13*13mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-T1313	24	12	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-T1313MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-T1313	24	16	240	574	41	CCT	90	50	120	
N10W67-3838TC-024CV-168S-MY3-T1313	24	12	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024CV-126S-MY3-T1313	24	12	126	N / A	N / A	RGBW	N / A	55.5	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories

Item#	Discription
2PCN-1313-001	Silicone material, for 13*13mm end cap with hole for wire, come out in strange
2PCN-1313-002	Silicone material, for 13*13mm end cap with hole for wire, come out from side
2PCN-1313-003	Silicone material, for 13*13mm end cap without hole
2PCN-1313-004	Aluminum clips, 2mm lenght
2PCN-1313-005	Aluminum channel for 13*13mm one meter length
2PCN-1313-006	Flexible Aluminum channel for 13*13mm one meter length

T1313T



24V DC Top Bend 13*13mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-T1313T	24	12	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-T1313TMC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-T1313T	24	16	240	574	41	CCT	90	50	120	
N10W67-3838TC-024CV-168S-MY3-T1313T	24	12	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-4040FC-024CV-126S-MY3-T1313T	24	12	126	N / A	N / A	RGBW	N / A	55.5	120	


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-1313-001	Silicone material, for 13*13mm end cap with hole for wire, come out in strange
2PCN-1313-002	Silicone material, for 13*13mm end cap with hole for wire, come out from side
2PCN-1313-003	Silicone material, for 13*13mm end cap without hole
2PCN-1313-004	Aluminum clips, 2mm lenght
2PCN-1313-005	Aluminum channel for 13*13mm one meter length
2PCN-1313-006	Flexible Aluminum channel for 13*13mm one meter length

T1515




24V DC Top Bend 15*15mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-T1515	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-T1515MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-T1515	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-T1515	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050FC-024CV-096S-MY3-T1515	24	20	96	N / A	N / A	RGBW	N / A	62.5	120	
N10W67-5050MC-024AD-084S-MY3-T1515	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	
N10W67-5050MC-024CV-096DMX-MY3-T1515	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120	

Optional Accessories




Item#	Discription
2PCN-1515-001	Silicone material, for 15*15mm end cap with hole for wire, come out in strange
2PCN-1515-002	Silicone material, for 15*15mm end cap with hole for wire, come out from side
2PCN-1515-003	Silicone material, for 15*15mm end cap without hole
2PCN-1515-004	Aluminum clips, 2mm lenght
2PCN-1515-005	Aluminum channel for 15*15mm one meter length




24V DC Top Bend 16*16mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-T1616	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-T1616MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2835XX-230CC-120S-MY3-T1616	24	15	120	1125	75	WHITE	80/90	100	120	
N10W67-2216TW-024CV-240S-MY3-T1616	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-T1616	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050FC-024CV-096S-MY3-T1616	24	20	96	N / A	N / A	RGBW	N / A	62.5	120	
N10W67-5050MC-024AD-084S-MY3-T1616	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	
N10W67-5050MC-024CV-096DMX-MY3-T1616	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120	

Optional Accessories




Item#	Discription
2PCN-1616-001	Silicone material, for 16*16mm end cap with hole for wire, come out in strange
2PCN-1616-002	Silicone material, for 16*16mm end cap with hole for wire, come out from side
2PCN-1616-003	Silicone material, for 16*16mm end cap without hole
2PCN-1616-004	Aluminum clips, 2mm lenght
2PCN-1616-005	Aluminum channel for 16*16mm one meter length
2PCN-1616-006	Flexible Aluminum channel for 16*16mm one meter length




24V DC Top Bend 20*14mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-T2014	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-T2014MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-T2014	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-T2014	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050FC-024CV-096S-MY3-T2014	24	20	96	N / A	N / A	RGBW	N / A	62.5	120	
N10W67-5050MC-024AD-084S-MY3-T2014	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	
N10W67-2835XX-024CV-120DMX-MY3-T2014	24	18	120	738	41	WHITE DMX	N / A	100	120	
N10W67-5050MC-024CV-096DMX-MY3-T2014	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120	

Optional Accessories



Item#	Discription
2PCN-T2014-001	Silicone material, for 20*14mm end cap with hole for wire, come out in strange
2PCN-T2014-002	Silicone material, for 20*14mm end cap with hole for wire, come out from side
2PCN-T2014-003	Silicone material, for 20*14mm end cap without hole
2PCN-T2014-004	Aluminum clips, 2mm lenght
2PCN-T2014-005	Aluminum channel for 20*14mm one meter length
2PCN-T2014-006	Flexible Aluminum channel for 20*14mm one meter length



24V DC Top Bend 20*20mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-T2020	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-T2020MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2216TW-024CV-240S-MY3-T2020	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-T2020	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050FC-024CV-096S-MY3-T2020	24	20	96	N / A	N / A	RGBW	N / A	62.5	120	
N10W67-5050MC-024AD-084S-MY3-T2020	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	
N10W67-5050MC-024CV-096DMX-MY3-T2020	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120	

Optional Accessories



2PCN-2020-001

Item#



2PCN-2020-003



2PCN-2020-003



2PCN-2020-004




2PCN-2020-005



2PCN-2020-006

Discription


2PCN-2020-001	Silicone material, for 20*20mm end cap with hole for wire, come out in strange
2PCN-2020-002	Silicone material, for 20*20mm end cap with hole for wire, come out from side
2PCN-2020-003	Silicone material, for 20*20mm end cap without hole
2PCN-2020-004	Aluminum clips, 2mm lenght
2PCN-2020-005	Aluminum channel for 20*20mm one meter length
2PCN-2020-006	Flexible Aluminum channel for 20*20mm one meter length



24V DC Top Bend 27*27mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N15W67-283527-024CV-140S-MY3-T1515	24	14	140	560	40	2700	80/90	50	120	
N15W67-283527-024CV-140S-MY3-T1515	24	14	140	630	45	3000	80/90	50	120	
N15W67-283527-024CV-140S-MY3-T1515	24	14	140	770	55	4000	80/90	50	120	
N15W67-283527-024CV-140S-MY3-T1515	24	14	140	630	45	6000	80/90	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.





Mold connector
Bottom


24V DC Top Bend 30*20mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	800	40	2700	80/90	25	120	
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	900	45	3000	80/90	25	120	
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	1100	55	4000	80/90	25	120	
N15W67-283527-024CV-240S-MY3-T3020	24	20	240	900	45	6000	80/90	25	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-T3020-001	Silicone material, for 30*20mm end cap with hole for wire, come out in strange
2PCN-T3020-003	Silicone material, for 30*20mm end cap without hole
2PCN-T3020-004	Aluminum clips, 2mm lenght
2PCN-T3020-005	Aluminum channel for 30*20mm one meter length
2PCN-T3020-006	Flexible Aluminum channel for 30*20mm one meter length



24V DC Top Bend D16*15mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N10W67-2835XX-024CV-140S-MY3-D1615	24	14	140	660	55	WHITE	80/90	50	120	
N10W67-2835XX-024CV-168S-MY3-D1615MC	24	14	168	620	45	WHITE	80/90	11.9	120	
N10W67-2835XX-230CC-120S-MY3-D1615	24	15	120	1125	75	WHITE	80/90	100	120	
N10W67-2216TW-024CV-240S-MY3-D1615	24	16	240	574	41	CCT	90	50	120	
N10W67-2835TC-024CV-168S-MY3-D1615	24	16	168	N / A	N / A	RGB	N / A	35.7	120	
N10W67-5050FC-024CV-096S-MY3-D1615	24	20	96	N / A	N / A	RGBW	N / A	62.5	120	
N10W67-5050MC-024AD-084S-MY3-D1615	24	15	84	N / A	N / A	RGBW SPI	N / A	71.4	120	
N10W67-5050MC-024CV-096DMX-MY3-D1615	24	20	96	N / A	N / A	RGBW DMX	N / A	62.5	120	


Optional Accessories



Item#	Discription
2PCN-D1615-001	Silicone material, for 16*15mm end cap with hole for wire, come out in strange
2PCN-D1615-002	Silicone material, for 16*15mm end cap with hole for wire, come out from side
2PCN-D1615-002A	Silicone material, for 16*15mm end cap with hole for wire, come out from side
2PCN-D1615-003	Silicone material, for 16*15mm end cap without hole
2PCN-D1615-004	Aluminum clips, 2mm lenght
2PCN-D1615-005	Aluminum channel for 16*15mm one meter length

3D Bend Neon flex






24V DC	3D Bend 10*10mm Neon flex									
	Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)
	N04W67-283527-024CV-280S-MY3-T1010	24	6	280	240	40	2700	80/90	25	120
	N04W67-283527-024CV-280S-MY3-T1010	24	6	280	270	45	3000	80/90	25	120
	N04W67-283527-024CV-280S-MY3-T1010	24	6	280	330	55	4000	80/90	25	120
	N04W67-283527-024CV-280S-MY3-T1010	24	6	280	270	45	6000	80/90	25	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-1010-001	Silicone material, for 10*10mm end cap with hole for wire, come out in strange
2PCN-1010-002	Silicone material, for 10*10mm end cap with hole for wire, come out from side
2PCN-1010-003	Silicone material, for 10*10mm end cap without hole
2PCN-1010-004	Aluminum clips, 2mm lenght
2PCN-1010-005	Aluminum channel for 10*10mm one meter length
2PCN-1010-006	Flexible Aluminum channel for 10*10mm one meter length




24V DC	3D Bend 13*13mm Neon flex									
	Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)
	N06W67-283527-024CV-160S-MY3-T1313	24	6	160	240	40	2700	80/90	50	120
	N06W67-283527-024CV-160S-MY3-T1313	24	6	160	270	45	3000	80/90	50	120
	N06W67-283527-024CV-160S-MY3-T1313	24	6	160	330	55	4000	80/90	50	120
	N06W67-283527-024CV-160S-MY3-T1313	24	6	160	270	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-1313-001	Silicone material, for 13*13mm end cap with hole for wire, come out in strange
2PCN-1313-002	Silicone material, for 13*13mm end cap with hole for wire, come out from side
2PCN-1313-003	Silicone material, for 13*13mm end cap without hole
2PCN-1313-004	Aluminum clips, 2mm lenght
2PCN-1313-005	Aluminum channel for 13*13mm one meter length
2PCN-1313-006	Flexible Aluminum channel for 13*13mm one meter length





24V DC	3D Bend 16*16mm Neon flex									
	Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)
	N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	480	40	2700	80/90	50	120
	N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	540	45	3000	80/90	50	120
	N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	660	55	4000	80/90	50	120
	N08W67-283527-024CV-140S-MY3-3D1616	24	12	140	540	45	6000	80/90	50	120

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories




Item#	Discription
2PCN-1616-001	Silicone material, for 16*16mm end cap with hole for wire, come out in strange
2PCN-1616-002	Silicone material, for 16*16mm end cap with hole for wire, come out from side
2PCN-1616-003	Silicone material, for 16*16mm end cap without hole
2PCN-1616-004	Aluminum clips, 2mm lenght
2PCN-1616-005	Aluminum channel for 16*16mm one meter length
2PCN-1616-006	Flexible Aluminum channel for 16*16mm one meter length



24V DC	3D Bend 20*20mm Neon flex									
	Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)
	N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	560	40	2700	80/90	50	120
	N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	630	45	3000	80/90	50	120
	N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	770	55	4000	80/90	50	120
	N12W67-283527-024CV-140S-MY3-3D2020	24	14	140	630	45	6000	80/90	50	120


*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Accessories



Item#	Discription
2PCN-2020-001	Silicone material, for 20*20mm end cap with hole for wire, come out in strange
2PCN-2020-002	Silicone material, for 20*20mm end cap with hole for wire, come out from side
2PCN-2020-003	Silicone material, for 20*20mm end cap without hole
2PCN-2020-004	Aluminum clips, 2mm lenght
2PCN-2020-005	Aluminum channel for 20*20mm one meter length
2PCN-2020-006	Flexible Aluminum channel for 20*20mm one meter length

360 Illumination Neon flex




D18




24V DC 360 Illumination D18 mm Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	480	40	2700	80/90	free cut	120	
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	540	45	3000	80/90	free cut	120	
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	660	55	4000	80/90	free cut	120	
N06W67-283527-024CV-120D-MY3-D18	24	14.4	120	540	45	6000	80/90	free cut	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting




D23



24V DC 360 Illumination D23 Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-283527-024CV-120D-MY3-D23	24	14	120	560	40	2700	80/90	50	120	
N08W67-283527-024CV-120D-MY3-D23	24	14	120	630	45	3000	80/90	50	120	
N08W67-283527-024CV-120D-MY3-D23	24	14	120	770	55	4000	80/90	50	120	
N08W67-283527-024CV-120D-MY3-D23	24	14	120	630	45	6000	80/90	50	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting




D25





24V DC 360 Illumination D25 Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	480	40	2700	80/90	free cut	120	
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	540	45	3000	80/90	free cut	120	
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	660	55	4000	80/90	free cut	120	
N08W67-283527-024CV-120D-MY3-D25	24	14.4	120	540	45	6000	80/90	free cut	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting



D40



24V DC 360 Illumination D40 Neon flex										
Model Number	Voltage (dc v)	Power (w)	LED Qty (pcs)	Lumens (lm/m)	Efficacy (lm/W)	CCT&Color (K)	CRI	Cutting unit (mm)	Bean Angle (o)	
N08W67-283527-024CV-120D-MY3-D40	24	14	120	560	40	2700	80/90	free cut	120	
N08W67-283527-024CV-120D-MY3-D40	24	14	120	630	45	3000	80/90	free cut	120	
N08W67-283527-024CV-120D-MY3-D40	24	14	120	770	55	4000	80/90	free cut	120	
N08W67-283527-024CV-120D-MY3-D40	24	14	120	630	45	6000	80/90	free cut	120	

*The neon flex will come with 5 meters /reel
*Customization will be accepted, like voltage, power, and color.

Optional Mounting

